Checkpoint®

# RF Labels
Solutions

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

RF LABELS SOLUTIONS

# Effective product **protection**

With one of the widest portfolios of market leading RF EAS labels on the market, you can find the perfect label for your product from Checkpoint. Your products are made to be the best they can be for your customers.

From the physical properties of the product itself through to the packaging. We understand this, which is why we design labels for specific use cases, not just a one-size-fits-all solution.

At Checkpoint, we manage everything in-house - **from R&D and prototyping to manufacturing** - ensuring complete control over the production process.

Customer base spanning **35 countries, 6 continents**

**One of the largest** RF Labels manufacturer in the world

**Wide portfolio**, market leading label performance

**Leading** label innovation for **50+ years**

RF LABELS SOLUTIONS

# Label **ranges**

## ECONOMY

Offers a standard level of Checkpoint quality EAS protection as a basic, lower-cost option. Generally, hand applied, these items are designed for in-store application on general merchandise.

## STANDARD

With additional options such as static guarding and larger for automatic application the SP label range fills the gap between the ECON and XP products.

## XP

The XP range is our premium offering, delivering our highest performance, quality and consistency across the entire range. Recently reengineered to deliver the performance of our old EP platform with the additional benefits of our in-house development program, the XP label range is now the cornerstone of our RF product offerings.

# Grocery & Food

# Grocery & Food

## ENSURING FOOD SAFETY: CHECKPOINT'S SUPERIOR PERFORMANCE FOOD LABEL

Checkpoint's purpose designed food label platform ensure that the labels offer superior performance while also being safe for use in food applications. In addition to the rigorous internal testing conducted on these labels, third party laboratories have tested and certified Checkpoint's XP Food Labels for use with food products.

## FOOD SAFETY COMPLIANT

Our RF label range for groceries is tested for both food and microwave safety, with ISEGA[1] and TUV certifications safeguarding consumers and retailers alike. Working with food manufacturers and grocery retailers, we adapt our solutions to be integrated in packaging at source as well as hand applied in store.

# 3740 XP

Building on over a decade of experience providing solutions for protecting fresh food products, our 3740 RF food label range delivers superior performance while ensuring safety and compliance with food regulations. Optimized for high speed application and integration the 3740 labels can offer support for Source Tagging programs, deterrent from in store theft and are certified as compliant with packaging recylability.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
37mm x 40mm (1.46" x 1.57")

**Face sheet:**
Clear PET, Clear PET with Black Lock Print, Yellow PET with Black Lock Print, Yellow Thermal Transfer Paper with Black Lock Print, White Thermal Transfer Paper with barcode Print

## BENEFITS

- Microwave safe.
- Optimized performance.
- Smaller footprint to fit more products
- Food regulation compliant.
- Available with optional Black Lock print.
- High and low temperature resistance

# 2410XP

Within the XP range, the 2410RF label stands out for its ability to protect smaller items with a high risk of theft. Despite its small size, it offers exceptional detection, making it ideal for this purpose.

## BENEFITS

- Designed to protect small items.
- A customizable solution to fit retailer needs.
- Tamper-resistant adhesive.
- Can be applied @Source.
- Supports visible tagging programs

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
24mm x 25mm (0.94" x 0.98")

**Face sheet:**
White Premium Grade Paper, White Premium Grade Paper with BC Print, White Premium Grade Paper with customer print, with Black Lock print, Clear PET, Clear PET with Black Lock print, Clear PET with customer print.

# 2815XP

The 2815 RF is designed for high-theft markets, with a specialized version tailored specifically for footwear. This label seamlessly integrates into the Source Tagging process and offers superior heat tolerance, ensuring optimal performance during rigorous integration.

## BENEFITS

- Designed for high-speed @Source integration.
- Improved on-shelf product availability.
- Customizable to fit retailer / brand owner needs.
- Discrete protection for improved customer experience.
- Footwear-specific version.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
49.3mmx26.7mm (1.94"x1.05")

**Face sheet:**
White Premium Grade Paper, Premium Grade paper Printed Blue arrow (specifically for footwear)

# 2928 XP shield tag

Offering supplementary protection for visible EAS labels, Checkpoint's Shield tag combines the RF label with additional overlay, designed to break apart if removal is attempted and frustrate casual thieves and ORC theft alike.

## BENEFITS

- Extremely difficult for thieves to remove in store or to clean for resale.
- Slows down the EAS label removal process by up to 10x.
- Improves shrink and sales numbers by increasing OSA.
- Both label and overlay can be customized with branding or warning messages.
- Suitable for @Source or in store applications.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
47mm (1.97")

**Face sheet:**
Clear PET with Black Lock print

# 2928 XP

The most popular of our Micro labels, the 2928 RF label delivers premium performance for its size plus the additional deterrent used to support our visible tagging programs. Small, round with a customizable transparent top layer the design enables it to adapt to most vertical markets and applications.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 28mm (1.10")

**Face sheet:**
Clear PET with customer logo, Clear PET with Black Lock Print, Clear PET

## BENEFITS

- Solution for smaller, difficult to protect products.
- Discrete protection for improved customer experience.
- Supports Visible Tagging programs.
- Suitable for in store or @Source applications
- A customizable solution to fit retailer needs.

# 40R ECON

The largest of our round visible tagging labels, the circular 40R RF is predominantly delivered as a bright yellow label with the trademarked security messaging logo for deterring theft. Higher performing to support customers with wider entrances the 40R is a favorite for many customers.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
40mm round

**Face sheet:**
Yellow Paper - Thermal Transfer with Black Lock print

## BENEFITS

Visible tagging.

Strong visual deterrence with Black Lock Print.

Improve on-shelf product availability.

# 410
# ECON - ST - XP

Our 410 RF label is available in various product ranges (ECON, STANDARD, and XP) and is characterized by its versatility, as it is compatible with different products and sizes. Additionally, it has been designed for high-speed at-source application and to provide high-level protection and improved deactivation in-store.

## BENEFITS

Best detection in wider aisle widths.

Designed for high-speed @Source integration.

Highly versatile, suitable for any product type.

Better detection with XP version.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
40mm x 40mm (1.57" x 1.57")

**Face sheet:**
White Thermal Transfer Paper, Black Thermal Transfer Paper, White Thermal Transfer Paper with Barcode Print, White Direct Thermal Paper.

# 3810 XP

The 3810 RF Label is a small, paper-thin RF label that provides hidden security by easily integrating into product packaging. It enables retailers to improve on-shelf availability and increase sales. Its thin construction was designed for high-speed auto applications, resulting in reduced labor costs.

**Frequency:**
8.2 ±5% MHz

**Dimensions:**
30 x 32 mm (1.18" x 1.26")

**Face sheet:**
Clear PET, Clear PET with Black Lock print, White thermal Transfer Paper, White Thermal Transfer Paper with print Black Lock, White thermal with customer print, Yellow Thermal Transfer Paper with customer logo.

## BENEFITS

- Highly versatile general purpose RF label.
- Suitable for @Source or instore tagging programs.
- Available with black lock logo for visible tagging programs.
- A customizable solution to fit retailer needs.

# 2933 XP

The original clear EAS label for visible tagging programs, our 2933 RF label is a circular, high-performance transparent label designed for anti-theft purposes. Larger in size than the 2928, this distinctive design offers improved detection where the label size is not a restriction.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 33 mm (1.30")

**Face sheet:**
Yellow Premium Grade Paper with Black Lock Print, Clear PET, Clear PET with black Lock print, White Premium Grade Paper

## BENEFITS

- Enhanced deterrent with a visible EAS circuit.
- Product protection without obscuring your brand.
- Designed for high-speed @Source integration.
- A customizable solution to fit retailer needs.

# 710 XP

Our 710 RF label is characterized by its high-speed integration in source tagging, thanks to its anti-static protection, allowing integration into production lines for labeling beverages & food and apparel products.

## BENEFITS

- Good detection in wider aisles.
- Designed for high-speed @Source integration.
- Can be applied @Source or in-store.
- Standard white face and clear.
- Thinner construction for applying behind primary labels.
- Apply on any product.



**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
34.6 x 41.1 mm (1.36" x 1.62")

**Face sheet:**
PSG: White Premium Grade Paper, White Premium Grade Paper with customer print, Thermal Transfer Paper, Black, White with Barcode,
SG: Clear PET.

# Cosmetics

# Cosmetics

## PROTECTING HIGH-VALUE SMALL ITEMS

High value, small and discreet items are an obvious target for thieves and a problem for retailers to protect. Utilizing our Micro XP platform, to achieve class leading performance from some of the world's smallest RF labels means we can offer retailers a viable way to protect these high theft items without resorting to defensive merchandizing techniques.

## PROTECTING YOUR BEAUTY PRODUCTS

Our RF labels for cosmetics are designed to suit a range of packaging sizes and shapes. The visible circuit acts as a deterrent, while the clear label ensures barcodes and other key product information are not obscured.

# 2410XP

Within the XP range, the 2410RF label stands out for its ability to protect smaller items with a high risk of theft. Despite its small size, it offers exceptional detection, making it ideal for this purpose.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
24mm x 25mm (0.94" x 0.98")

**Face sheet:**
White Premium Grade Paper, White Premium Grade Paper with BC Print, White Premium Grade Paper with customer print, with Black Lock print, Clear PET, Clear PET with Black Lock print, Clear PET with customer print.

## BENEFITS

- Designed to protect small items.
- Aggressive Tamper-resistant adhesive.
- Customizable to fit retailer / brand owner needs.
- Compatible with @ Source tagging programs.
- Supports visible tagging programs.

# 2928 XP MICROFLEX

The innovative design of our Microflex labels, incorporating the adhesive loop for securing open display items such as glasses and jewelry provides effective protection against theft without detrimental impacts to the customer experience or compromising brand identity.

## BENEFITS

- Allows consumers to try on products before purchasing.
- Discrete protection for improved customer experience.
- Improve on-shelf product availability.
- Dedicated solution for open display of glasses, jewellery and accessories.
- Minimise time at the checkout.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
30mm x 104mm (1.18" x 4.1")

**Face sheet:**
Clear with Black Lock print

# 2928 XP shield tag

Offering supplementary protection for visible EAS labels, Checkpoint's Shield tag combines the RF label with additional overlay, designed to break apart if removal is attempted and frustrate casual thieves and ORC theft alike.

## BENEFITS

- Extremely difficult for thieves to remove in store or to clean for resale.
- Slows down the EAS label removal process by up to 10x.
- Improves shrink and sales numbers by increasing OSA.
- Both label and overlay can be customized with branding or warning messages.
- Suitable for @Source or in store applications.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
47mm (1.97")

**Face sheet:**
Clear PET with Black Lock print

# 2928 XP super flag tag

Our Super Flag Tag concept was designed for protecting metallic products where traditional RF labels cannot be used. By elevating the RF label away from the packaging normal detection can be achieved, allowing retailers and brands to protect a wider range of items. The tamper-resistant tag wraps easily around box corners, sealing openings with high-bond adhesive that's tough to remove without visible damage to the packaging.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
60mm x 32mm (2.36" x 1.26")

**Face sheet:**
Clear PET

## BENEFITS

- Deter theft and packaging tampering.
- Solution for metal products and metallic packaging.
- Wraps easily around corner.
- Innovative dual wing design for better adhesion to a variety of materials.
- Difficult to remove without visible damage.
- Available with optional Black Lock print.

# 2928 XP

The most popular of our Micro labels, the 2928 RF label delivers premium performance for its size plus the additional deterrent used to support our visible tagging programs. Small, round with a customizable transparent top layer the design enables it to adapt to most vertical markets and applications.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 28mm (1.10")

**Face sheet:**
Clear PET with customer logo, Clear PET with Black Lock Print, Clear PET

## BENEFITS

- Solution for smaller, difficult to protect products.
- Discrete protection for improved customer experience.
- Supports Visible Tagging programs.
- Suitable for in store or @Source applications
- A customizable solution to fit retailer needs.

# 2928 XP box wrap

The Box Wrap Label by Checkpoint is designed to prevent unwanted removal of products from carton boxes. By inserting an RF label into a PET wrap, we offer customers the opportunity to simultaneously seal cartons and add EAS protection with a single product.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
40 x 200 mm
(1.57" x 7.87")

**Face sheet:**
Clear PET with the box seal and the Black Lock print

## BENEFITS

- Product protection without impacting brand designs.
- Seals top and bottom of cartons to prevent removal of contents.
- Prevents tampering of the RF label.
- Wrap can be customized with logo or warning message.
- Can be applied @ Source or in store.
- Supports Visible Tagging programs.

# 2933 XP

The original clear EAS label for visible tagging programs, our 2933 RF label is a circular, high-performance transparent label designed for anti-theft purposes. Larger in size than the 2928, this distinctive design offers improved detection where the label size is not a restriction.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 33 mm (1.30")

**Face sheet:**
Yellow Premium Grade Paper with Black Lock Print, Clear PET, Clear PET with black Lock print, White Premium Grade Paper

## BENEFITS

- Enhanced deterrent with a visible EAS circuit.
- Product protection without obscuring your brand.
- Designed for high-speed @Source integration.
- A customizable solution to fit retailer needs.

# 3710 XP

The 3710 RF Label is an anti-theft solution that safeguards merchandise without compromising brand visibility. Perfect for narrow and high-risk items such as eyeliners, lotions, jewelry, and small electronics, where other labels cannot fit, and could harm the brand and discourage customers from purchasing these products.

**Frequency:**
8.2 MHz

**Dimensions:**
15.1mm x 52mm (0.59" x 2.05")

**Face sheet:**
Clear PET with customer print, Clear PET with Black Lock print, Clear PET.

## BENEFITS

- Elongated, slender shape for difficult to protect items.
- Clear window for barcodes and branding.
- Designed to protect small items.
- Tamper-resistant adhesive.
- A customizable solution to fit retailer needs.

# 3210 XP

With theft of high-value, discreet items such as cosmetics and intimate apparel on the rise, customers are seeking new solutions to protect their products reliably and conveniently. Our 3210 RF label is ideal for protection small, thin cosmetics, especially uncarded cosmetic products, offering enhanced protection without compromising aesthetics or convenience.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
19 x 65 mm (0.75" x 2.56")

**Face sheet:**
Clear PET, Clear PET with customer branding.

## BENEFITS

- Designed for high-speed @Source integration.
- Designed to protect small items.
- Promotes branding.
- Improve on-shelf product availability.
- Clear window for barcodes and branding.

# 2815XP

The 2815 RF is designed for high-theft markets, with a specialized version tailored specifically for footwear. This label seamlessly integrates into the Source Tagging process and offers superior heat tolerance, ensuring optimal performance during rigorous integration.

## BENEFITS

- Designed for high-speed @Source integration.
- Improved on-shelf product availability.
- Customizable to fit retailer / brand owner needs.
- Discrete protection for improved customer experience.
- Footwear-specific version.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
49.3mmx26.7mm (1.94"x1.05")

**Face sheet:**
White Premium Grade Paper, Premium Grade paper Printed Blue arrow (specifically for footwear)

# 3810 XP

The 3810 RF Label is a small, paper-thin RF label that provides hidden security by easily integrating into product packaging. It enables retailers to improve on-shelf availability and increase sales. Its thin construction was designed for high-speed auto applications, resulting in reduced labor costs.

## BENEFITS

- Highly versatile general purpose RF label.
- Suitable for @Source or instore tagging programs.
- Available with black lock logo for visible tagging programs.
- A customizable solution to fit retailer needs.

**Frequency:**
8.2 ±5% MHz

**Dimensions:**
30 x 32 mm (1.18" x 1.26")

**Face sheet:**
Clear PET, Clear PET with Black Lock print, White thermal Transfer Paper, White Thermal Transfer Paper with print Black Lock, White thermal with customer print, Yellow Thermal Transfer Paper with customer logo.

# 410
# ECON - ST - XP

Our 410 RF label is available in various product ranges (ECON, STANDARD, and XP) and is characterized by its versatility, as it is compatible with different products and sizes. Additionally, it has been designed for high-speed at-source application and to provide high-level protection and improved deactivation in-store.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
40mm x 40mm (1.57" x 1.57")

**Face sheet:**
White Thermal Transfer Paper, Black Thermal Transfer Paper, White Thermal Transfer Paper with Barcode Print, White Direct Thermal Paper.

## BENEFITS

- Best detection in wider aisle widths.
- Designed for high-speed @Source integration.
- Highly versatile, suitable for any product type.
- Better detection with XP version.

# 4115 XP

Our 4115 RF Metal label allows retailers to protect metallic products and packaging using the same EAS systems as they do for the rest of their inventory. Simply apply the patented label in-store or as part of your source tagging program for consistent compliance, optimal visibility and unprecedented performance.

**Frequency:**
8.0MHz +/- 0.3MHz

**Dimensions:**
41x14x0.8 mm (1.61"x0.55"x0.03")

**Face sheet:**
White TT paper with Black Lock print

## BENEFITS

Can be applied directly to metal products and metallic packaging.

Invented, designed and produced fully in-house.

High-bond resistant adhesive.

Strong visual deterrence with Black Logo print.

Brand new design and manufacturing method to combat the usual issues caused by metal.

# 710 XP

Our 710 RF label is characterized by its high-speed integration in source tagging, thanks to its anti-static protection, allowing integration into production lines for labeling beverages & food and apparel products.

## BENEFITS

- Good detection in wider aisles.
- Designed for high-speed @Source integration.
- Can be applied @Source or in-store.
- Standard white face and clear.
- Thinner construction for applying behind primary labels.
- Apply on any product.



**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
34.6 x 41.1 mm (1.36" x 1.62")

**Face sheet:**
PSG: White Premium Grade Paper, White Premium Grade Paper with customer print, Thermal Transfer Paper, Black, White with Barcode,
SG: Clear PET.

# 3110 XP

With theft of high-value, discreet items such as cosmetics and intimate apparel on the rise, customers are seeking new solutions to protect their products reliably and conveniently. Our 3110 RF label is ideal for protection small, thin cosmetics, especially blister-packaged products, offering enhanced protection without compromising aesthetics or convenience.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
22x47 mm (0.87"x1.85")

**Face sheet:**
White Thermal Transfer Paper

## BENEFITS

- Designed to fit current blister packages for cosmetics.
- Designed to protect small items.
- Designed for high-speed @Source integration.
- Promotes branding.
- Improve on-shelf product availability.

# Pharmacy

# Pharmacy

## PROTECTING HIGH-VALUE SMALL ITEMS

High value, small and discreet items are an obvious target for thieves and a problem for retailers to protect. Utilizing our Micro XP platform, to achieve class leading performance from some of the world's smallest RF labels means we can offer retailers a viable way to protect these high theft items without resorting to defensive merchandizing techniques.

## PROTECTING YOUR BEAUTY PRODUCTS

Our RF labels for cosmetics are designed to suit a range of packaging sizes and shapes. The visible circuit acts as a deterrent, while the clear label ensures barcodes and other key product information are not obscured.

# 2410XP

Within the XP range, the 2410RF label stands out for its ability to protect smaller items with a high risk of theft. Despite its small size, it offers exceptional detection, making it ideal for this purpose.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
24mm x 25mm (0.94" x 0.98")

**Face sheet:**
White Premium Grade Paper, White Premium Grade Paper with BC Print, White Premium Grade Paper with customer print, with Black Lock print, Clear PET, Clear PET with Black Lock print, Clear PET with customer print.

## BENEFITS

- Designed to protect small items.
- Aggressive Tamper-resistant adhesive.
- Customizable to fit retailer / brand owner needs.
- Compatible with @ Source tagging programs.
- Supports visible tagging programs.

# 2928 XP shield tag

Offering supplementary protection for visible EAS labels, Checkpoint's Shield tag combines the RF label with additional overlay, designed to break apart if removal is attempted and frustrate casual thieves and ORC theft alike.

## BENEFITS

- Extremely difficult for thieves to remove in store or to clean for resale.
- Slows down the EAS label removal process by up to 10x.
- Improves shrink and sales numbers by increasing OSA.
- Both label and overlay can be customized with branding or warning messages.
- Suitable for @Source or in store applications.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
47mm (1.97")

**Face sheet:**
Clear PET with Black Lock print

# 2928 XP super flag tag

Our Super Flag Tag concept was designed for protecting metallic products where traditional RF labels cannot be used. By elevating the RF label away from the packaging normal detection can be achieved, allowing retailers and brands to protect a wider range of items. The tamper-resistant tag wraps easily around box corners, sealing openings with high-bond adhesive that's tough to remove without visible damage to the packaging.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
60mm x 32mm (2.36" x 1.26")

**Face sheet:**
Clear PET

## BENEFITS

- Deter theft and packaging tampering.
- Solution for metal products and metallic packaging.
- Wraps easily around corner.
- Innovative dual wing design for better adhesion to a variety of materials.
- Difficult to remove without visible damage.
- Available with optional Black Lock print.

# 2933 XP

The original clear EAS label for visible tagging programs, our 2933 RF label is a circular, high-performance transparent label designed for anti-theft purposes. Larger in size than the 2928, this distinctive design offers improved detection where the label size is not a restriction.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 33 mm (1.30")

**Face sheet:**
Yellow Premium Grade Paper with Black Lock Print, Clear PET, Clear PET with black Lock print, White Premium Grade Paper

## BENEFITS

- Enhanced deterrent with a visible EAS circuit.
- Product protection without obscuring your brand.
- Designed for high-speed @Source integration.
- A customizable solution to fit retailer needs.

# 3710 XP

The 3710 RF Label is an anti-theft solution that safeguards merchandise without compromising brand visibility. Perfect for narrow and high-risk items such as eyeliners, lotions, jewelry, and small electronics, where other labels cannot fit, and could harm the brand and discourage customers from purchasing these products.

**Frequency:**
8.2 MHz

**Dimensions:**
15.1mm x 52mm (0.59" x 2.05")

**Face sheet:**
Clear PET with customer print,
Clear PET with Black Lock print,
Clear PET.

## BENEFITS

- Elongated, slender shape for difficult to protect items.
- Clear window for barcodes and branding.
- Designed to protect small items.
- Tamper-resistant adhesive.
- A customizable solution to fit retailer needs.

# 3810 XP

The 3810 RF Label is a small, paper-thin RF label that provides hidden security by easily integrating into product packaging. It enables retailers to improve on-shelf availability and increase sales. Its thin construction was designed for high-speed auto applications, resulting in reduced labor costs.

**Frequency:**
8.2 ±5% MHz

**Dimensions:**
30 x 32 mm (1.18" x 1.26")

**Face sheet:**
Clear PET, Clear PET with Black Lock print, White thermal Transfer Paper, White Thermal Transfer Paper with print Black Lock, White thermal with customer print, Yellow Thermal Transfer Paper with customer logo.

## BENEFITS

- Highly versatile general purpose RF label.
- Suitable for @Source or instore tagging programs.
- Available with black lock logo for visible tagging programs.
- A customizable solution to fit retailer needs.

# 2815XP

The 2815 RF is designed for high-theft markets, with a specialized version tailored specifically for footwear. This label seamlessly integrates into the Source Tagging process and offers superior heat tolerance, ensuring optimal performance during rigorous integration.

## BENEFITS

- Designed for high-speed @Source integration.
- Improved on-shelf product availability.
- Customizable to fit retailer / brand owner needs.
- Discrete protection for improved customer experience.
- Footwear-specific version.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
49.3mmx26.7mm (1.94"x1.05")

**Face sheet:**
White Premium Grade Paper, Premium Grade paper Printed Blue arrow (specifically for footwear)

# 4115 XP

Our 4115 RF Metal label allows retailers to protect metallic products and packaging using the same EAS systems as they do for the rest of their inventory. Simply apply the patented label in-store or as part of your source tagging program for consistent compliance, optimal visibility and unprecedented performance.

**Frequency:**
8.0MHz +/- 0.3MHz

**Dimensions:**
41x14x0.8 mm (1.61"x0.55"x0.03")

**Face sheet:**
White TT paper with Black Lock print

## BENEFITS

Can be applied directly to metal products and metallic packaging.

Invented, designed and produced fully in-house.

High-bond resistant adhesive.

Strong visual deterrence with Black Logo print.

Brand new design and manufacturing method to combat the usual issues caused by metal.

# 3110 XP

With theft of high-value, discreet items such as cosmetics and intimate apparel on the rise, customers are seeking new solutions to protect their products reliably and conveniently. Our 3110 RF label is ideal for protection small, thin cosmetics, especially blister-packaged products, offering enhanced protection without compromising aesthetics or convenience.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
22x47 mm (0.87"x1.85")

**Face sheet:**
White Thermal Transfer Paper

## BENEFITS

- Designed to fit current blister packages for cosmetics.
- Designed to protect small items.
- Designed for high-speed @Source integration.
- Promotes branding.
- Improve on-shelf product availability.



# Eyewear, jewelry & accessories

# Eyewear, jewelry & accessories

## ENHANCING CUSTOMER EXPERIENCE AND PROTECTING PRODUCTS

Retailers are increasingly focused on enhancing customer experience by removing sales barriers such as closed display cases, encouraging greater product interaction while ensuring effective product protection.

## PROTECTING RETAIL DISPLAYS: INTRODUCING MICROFLEX LABELS

The in-store display of products such as glasses, jewelry, and fashion accessories present protection challenges. Retailers seek solutions that ensure effective protection without compromising the customer experience. In response to this need, we offer our MicroFlex labels: delivering high detection in micro format, ensuring optimal protection with minimal customer impact.

# 2410XP

Within the XP range, the 2410RF label stands out for its ability to protect smaller items with a high risk of theft. Despite its small size, it offers exceptional detection, making it ideal for this purpose.

## BENEFITS

- Designed to protect small items.
- Aggressive Tamper-resistant adhesive.
- Customizable to fit retailer / brand owner needs.
- Compatible with @ Source tagging programs.
- Supports visible tagging programs.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
24mm x 25mm (0.94" x 0.98")

**Face sheet:**
White Premium Grade Paper, White Premium Grade Paper with BC Print, White Premium Grade Paper with customer print, with Black Lock print, Clear PET, Clear PET with Black Lock print, Clear PET with customer print.

# 2928 XP

The most popular of our Micro labels, the 2928 RF label delivers premium performance for its size plus the additional deterrent used to support our visible tagging programs. Small, round with a customizable transparent top layer the design enables it to adapt to most vertical markets and applications.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 28mm (1.10")

**Face sheet:**
Clear PET with customer logo,
Clear PET with Black Lock Print,
Clear PET

## BENEFITS

- Solution for smaller, difficult to protect products.
- Discrete protection for improved customer experience.
- Supports Visible Tagging programs.
- Suitable for in store or @Source applications
- A customizable solution to fit retailer needs.

# 2928 XP MICROFLEX

The innovative design of our Microflex labels, incorporating the adhesive loop for securing open display items such as glasses and jewelry provides effective protection against theft without detrimental impacts to the customer experience or compromising brand identity.

## BENEFITS

- Allows consumers to try on products before purchasing.
- Discrete protection for improved customer experience.
- Improve on-shelf product availability.
- Dedicated solution for open display of glasses, jewellery and accessories.
- Minimise time at the checkout.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
30mm x 104mm (1.18" x 4.1")

**Face sheet:**
Clear with Black Lock print

# 3810 XP

The 3810 RF Label is a small, paper-thin RF label that provides hidden security by easily integrating into product packaging. It enables retailers to improve on-shelf availability and increase sales. Its thin construction was designed for high-speed auto applications, resulting in reduced labor costs.

## BENEFITS

- Highly versatile general purpose RF label.
- Suitable for @Source or instore tagging programs.
- Available with black lock logo for visible tagging programs.
- A customizable solution to fit retailer needs.

**Frequency:**
8.2 ±5% MHz

**Dimensions:**
30 x 32 mm (1.18" x 1.26")

**Face sheet:**
Clear PET, Clear PET with Black Lock print, White thermal Transfer Paper, White Thermal Transfer Paper with print Black Lock, White thermal with customer print, Yellow Thermal Transfer Paper with customer logo.

# General Merchandise

# General Merchandise

## CUSTOM PRINTED LABELS

Our customized RF anti-theft labels are a technological solution used to protect products and prevent theft in retail. They are suitable for use on any product and come in various sizes and shapes for easy application, whether manual or automatic, visible or hidden. We can print customer logos, safety warnings or any other Marketing or promotional messaging at one of our specialist print locations around the world.

## PROTECT MORE OF YOUR ITEMS THAN EVER BEFORE

Our range of RF labels for general merchandise can be applied at source or in-store, giving customers complete flexibility and freedom of choice with their EAS protection. With options to cover virtually any type of product, our general merchandise range are amongst the best performing labels on the market.

## LABELS TO SUIT YOUR BRAND

Many of the labels we offer have the ability to be customized with your logo printed onto the label directly, allowing extra room for branding on top of the excellent security and detection you'd expect from our RF labels.

## ENHANCING CUSTOMER EXPERIENCE AND PROTECTING PRODUCTS

Retailers are increasingly focused on enhancing customer experience by removing sales barriers such as closed display cases, encouraging greater product interaction while ensuring effective product protection.

## PREVENTING THEFT IN THE DIY MARKET

In the DIY market, batteries, drills, power tools, and door locks are some of the most stolen items. We provide customized solutions that accommodate various shapes and sizes to protect your inventory and prevent theft, ensuring peace of mind for both you and your customers.

# 2410XP

Within the XP range, the 2410RF label stands out for its ability to protect smaller items with a high risk of theft. Despite its small size, it offers exceptional detection, making it ideal for this purpose.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
24mm x 25mm (0.94" x 0.98")

**Face sheet:**
White Premium Grade Paper, White Premium Grade Paper with BC Print, White Premium Grade Paper with customer print, with Black Lock print, Clear PET, Clear PET with Black Lock print, Clear PET with customer print.

## BENEFITS

- Designed to protect small items.
- Aggressive Tamper-resistant adhesive.
- Customizable to fit retailer / brand owner needs.
- Compatible with @ Source tagging programs.
- Supports visible tagging programs.

# 2815XP

The 2815 RF is designed for high-theft markets, with a specialized version tailored specifically for footwear. This label seamlessly integrates into the Source Tagging process and offers superior heat tolerance, ensuring optimal performance during rigorous integration.

## BENEFITS

- Designed for high-speed @Source integration.
- Improved on-shelf product availability.
- Customizable to fit retailer / brand owner needs.
- Discrete protection for improved customer experience.
- Footwear-specific version.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
49.3mmx26.7mm (1.94"x1.05")

**Face sheet:**
White Premium Grade Paper, Premium Grade paper Printed Blue arrow (specifically for footwear)

# 2928 XP

The most popular of our Micro labels, the 2928 RF label delivers premium performance for its size plus the additional deterrent used to support our visible tagging programs. Small, round with a customizable transparent top layer the design enables it to adapt to most vertical markets and applications.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 28mm (1.10")

**Face sheet:**
Clear PET with customer logo, Clear PET with Black Lock Print, Clear PET

## BENEFITS

- Solution for smaller, difficult to protect products.
- Discrete protection for improved customer experience.
- Supports Visible Tagging programs.
- Suitable for in store or @Source applications
- A customizable solution to fit retailer needs.

# 2933 XP

The original clear EAS label for visible tagging programs, our 2933 RF label is a circular, high-performance transparent label designed for anti-theft purposes. Larger in size than the 2928, this distinctive design offers improved detection where the label size is not a restriction.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 33 mm (1.30")

**Face sheet:**
Yellow Premium Grade Paper with Black Lock Print, Clear PET, Clear PET with black Lock print, White Premium Grade Paper

## BENEFITS

- Enhanced deterrent with a visible EAS circuit.
- Product protection without obscuring your brand.
- Designed for high-speed @Source integration.
- A customizable solution to fit retailer needs.

# 3710 XP

The 3710 RF Label is an anti-theft solution that safeguards merchandise without compromising brand visibility. Perfect for narrow and high-risk items such as eyeliners, lotions, jewelry, and small electronics, where other labels cannot fit, and could harm the brand and discourage customers from purchasing these products.

**Frequency:**
8.2 MHz

**Dimensions:**
15.1mm x 52mm (0.59" x 2.05")

**Face sheet:**
Clear PET with customer print,
Clear PET with Black Lock print,
Clear PET.

## BENEFITS

- Elongated, slender shape for difficult to protect items.
- Clear window for barcodes and branding.
- Designed to protect small items.
- Tamper-resistant adhesive.
- A customizable solution to fit retailer needs.

# 4115 XP

Our 4115 RF Metal label allows retailers to protect metallic products and packaging using the same EAS systems as they do for the rest of their inventory. Simply apply the patented label in-store or as part of your source tagging program for consistent compliance, optimal visibility and unprecedented performance.

**Frequency:**
8.0MHz +/- 0.3MHz

**Dimensions:**
41x14x0.8 mm (1.61"x0.55"x0.03")

**Face sheet:**
White TT paper with Black Lock print

## BENEFITS

- Can be applied directly to metal products and metallic packaging.
- Invented, designed and produced fully in-house.
- High-bond resistant adhesive.
- Strong visual deterrence with Black Logo print.
- Brand new design and manufacturing method to combat the usual issues caused by metal.

# 3810 XP

The 3810 RF Label is a small, paper-thin RF label that provides hidden security by easily integrating into product packaging. It enables retailers to improve on-shelf availability and increase sales. Its thin construction was designed for high-speed auto applications, resulting in reduced labor costs.

**Frequency:**
8.2 ±5% MHz

**Dimensions:**
30 x 32 mm (1.18" x 1.26")

**Face sheet:**
Clear PET, Clear PET with Black Lock print, White thermal Transfer Paper, White Thermal Transfer Paper with print Black Lock, White thermal with customer print, Yellow Thermal Transfer Paper with customer logo.

## BENEFITS

- Highly versatile general purpose RF label.
- Suitable for @Source or instore tagging programs.
- Available with black lock logo for visible tagging programs.
- A customizable solution to fit retailer needs.

# 40R ECON

The largest of our round visible tagging labels, the circular 40R RF is predominantly delivered as a bright yellow label with the trademarked security messaging logo for deterring theft. Higher performing to support customers with wider entrances the 40R is a favorite for many customers.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
40mm round

**Face sheet:**
Yellow Paper - Thermal Transfer with Black Lock print

## BENEFITS

Visible tagging.

Strong visual deterrence with Black Lock Print.

Improve on-shelf product availability.

# 410
# ECON - ST - XP

Our 410 RF label is available in various product ranges (ECON, STANDARD, and XP) and is characterized by its versatility, as it is compatible with different products and sizes. Additionally, it has been designed for high-speed at-source application and to provide high-level protection and improved deactivation in-store.

## BENEFITS

Best detection in wider aisle widths.

Designed for high-speed @Source integration.

Highly versatile, suitable for any product type.

Better detection with XP version.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
40mm x 40mm (1.57" x 1.57")

**Face sheet:**
White Thermal Transfer Paper, Black Thermal Transfer Paper, White Thermal Transfer Paper with Barcode Print, White Direct Thermal Paper.

# 710 XP

Our 710 RF label is characterized by its high-speed integration in source tagging, thanks to its anti-static protection, allowing integration into production lines for labeling beverages & food and apparel products.

## BENEFITS

- Good detection in wider aisles.
- Designed for high-speed @Source integration.
- Can be applied @Source or in-store.
- Standard white face and clear.
- Thinner construction for applying behind primary labels.
- Apply on any product.



**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
34.6 x 41.1 mm (1.36" x 1.62")

**Face sheet:**
PSG: White Premium Grade Paper, White Premium Grade Paper with customer print, Thermal Transfer Paper, Black, White with Barcode,
SG: Clear PET.

# 2928 XP shield tag

Offering supplementary protection for visible EAS labels, Checkpoint's Shield tag combines the RF label with additional overlay, designed to break apart if removal is attempted and frustrate casual thieves and ORC theft alike.

## BENEFITS

- Extremely difficult for thieves to remove in store or to clean for resale.
- Slows down the EAS label removal process by up to 10x.
- Improves shrink and sales numbers by increasing OSA.
- Both label and overlay can be customized with branding or warning messages.
- Suitable for @Source or in store applications.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
47mm (1.97")

**Face sheet:**
Clear PET with Black Lock print

# 2928 XP super flag tag

Our Super Flag Tag concept was designed for protecting metallic products where traditional RF labels cannot be used. By elevating the RF label away from the packaging normal detection can be achieved, allowing retailers and brands to protect a wider range of items. The tamper-resistant tag wraps easily around box corners, sealing openings with high-bond adhesive that's tough to remove without visible damage to the packaging.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
60mm x 32mm (2.36" x 1.26")

**Face sheet:**
Clear PET

## BENEFITS

- Deter theft and packaging tampering.
- Solution for metal products and metallic packaging.
- Wraps easily around corner.
- Innovative dual wing design for better adhesion to a variety of materials.
- Difficult to remove without visible damage.
- Available with optional Black Lock print.

# 2928 XP box wrap

The Box Wrap Label by Checkpoint is designed to prevent unwanted removal of products from carton boxes. By inserting an RF label into a PET wrap, we offer customers the opportunity to simultaneously seal cartons and add EAS protection with a single product.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
40 x 200 mm
(1.57" x 7.87")

**Face sheet:**
Clear PET with the box seal and the Black Lock print

## BENEFITS

- Product protection without impacting brand designs.
- Seals top and bottom of cartons to prevent removal of contents.
- Prevents tampering of the RF label.
- Wrap can be customized with logo or warning message.
- Can be applied @ Source or in store.
- Supports Visible Tagging programs.

# 3210 XP

With theft of high-value, discreet items such as cosmetics and intimate apparel on the rise, customers are seeking new solutions to protect their products reliably and conveniently. Our 3210 RF label is ideal for protection small, thin cosmetics, especially uncarded cosmetic products, offering enhanced protection without compromising aesthetics or convenience.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
19 x 65 mm (0.75" x 2.56")

**Face sheet:**
Clear PET, Clear PET with customer branding.

## BENEFITS

- Designed for high-speed @Source integration.
- Designed to protect small items.
- Promotes branding.
- Improve on-shelf product availability.
- Clear window for barcodes and branding.

# 3110 XP

With theft of high-value, discreet items such as cosmetics and intimate apparel on the rise, customers are seeking new solutions to protect their products reliably and conveniently. Our 3110 RF label is ideal for protection small, thin cosmetics, especially blister-packaged products, offering enhanced protection without compromising aesthetics or convenience.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
22x47 mm (0.87"x1.85")

**Face sheet:**
White Thermal Transfer Paper

## BENEFITS

- Designed to fit current blister packages for cosmetics.
- Designed to protect small items.
- Designed for high-speed @Source integration.
- Promotes branding.
- Improve on-shelf product availability.

# Apparel & Footwear

# Apparel & Footwear

## INNOVATIVE APPAREL LABEL SOLUTIONS FOR BRAND INTEGRATION

Our range of specialist apparel labels offer the best possible performance, along with the added features essential when integrating into brand tickets, wash / care labels or pocket tags.

## ROBUST TESTING ENSURES DURABILITY AND RISK MITIGATION

Our unique label range options are robustly tested to ensure the labels survive the integration process while mitigating the reactivation risks associated when RF labels are left inside garments or footwear.

## TAILORED LABEL SOLUTIONS FOR CLOTHING AND FOOTWEAR

Whether you want visible labels for clothing or integrated solutions for shoes, we work with clothing manufacturers and retailers around the world to ensure the best and most innovative solutions are developed to meet your needs.

# 2815XP

The 2815 RF is designed for high-theft markets, with a specialized version tailored specifically for footwear. This label seamlessly integrates into the Source Tagging process and offers superior heat tolerance, ensuring optimal performance during rigorous integration.

## BENEFITS

- Designed for high-speed @Source integration.
- Improved on-shelf product availability.
- Customizable to fit retailer / brand owner needs.
- Discrete protection for improved customer experience.
- Footwear-specific version.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
49.3mmx26.7mm (1.94"x1.05")

**Face sheet:**
White Premium Grade Paper, Premium Grade paper Printed Blue arrow (specifically for footwear)

# 2928 XP

The most popular of our Micro labels, the 2928 RF label delivers premium performance for its size plus the additional deterrent used to support our visible tagging programs. Small, round with a customizable transparent top layer the design enables it to adapt to most vertical markets and applications.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 28mm (1.10")

**Face sheet:**
Clear PET with customer logo, Clear PET with Black Lock Print, Clear PET

## BENEFITS

- Solution for smaller, difficult to protect products.
- Discrete protection for improved customer experience.
- Supports Visible Tagging programs.
- Suitable for in store or @Source applications
- A customizable solution to fit retailer needs.

# 2933 XP

The original clear EAS label for visible tagging programs, our 2933 RF label is a circular, high-performance transparent label designed for anti-theft purposes. Larger in size than the 2928, this distinctive design offers improved detection where the label size is not a restriction.

**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
Ø 33 mm (1.30")

**Face sheet:**
Yellow Premium Grade Paper with Black Lock Print, Clear PET, Clear PET with black Lock print, White Premium Grade Paper

## BENEFITS

- Enhanced deterrent with a visible EAS circuit.
- Product protection without obscuring your brand.
- Designed for high-speed @Source integration.
- A customizable solution to fit retailer needs.

# 3610XP

The 3610 RF label is an anti-theft solution that provides theft protection and ensures customer comfort, perfect for intimate apparel and clothing items such as blouses, shirts, and scarves. With its slim design, it efficiently protects both the garment and the brand.



**Frequency:**
8.2 MHz +/- 5%

**Dimensions:**
15.1mm x 52mm (0.59" x 2.05")

**Face sheet:**
White Premium Grade Paper

## BENEFITS

- Sewn-in solutions for discreet protection.
- Combats organized retail crime (ORC).
- RF circuit self-destructs in the wash.
- Designed to protect intimates and small items.
- Adaptable to any product in the category.

# UNO RF/RFID

The UNO RF/RFID dual technology label combines all the benefits of RF EAS protection and RAIN RFID in one inlay, the UNO label saves retailers the additional costs of either double tagging or replacing RF EAS hardware while still offering the benefits of inventory control and accuracy through RFID.



**Frequency:**
RF 8.2 MHz +/- 5%
RFID 860-960Mhz

**Dimensions:**
75mm x 40mm

## BENEFITS

- Source tagging provides visibility throughout the supply chain.
- Helps reduce out-of-stocks, reduce working capital and increase sales.
- EAS labels deactivate as part of a normal checkout process.
- Facilitates a successful Omni-Channel sales process.
- Easily converted into sew in, pocket tags, or branded tickets.
- Eliminates time and costs of applying hard tags in store.
- Can be applied and encoded @Source.

# 3810 XP

The 3810 RF Label is a small, paper-thin RF label that provides hidden security by easily integrating into product packaging. It enables retailers to improve on-shelf availability and increase sales. Its thin construction was designed for high-speed auto applications, resulting in reduced labor costs.

**Frequency:**
8.2 ±5% MHz

**Dimensions:**
30 x 32 mm (1.18" x 1.26")

**Face sheet:**
Clear PET, Clear PET with Black Lock print, White thermal Transfer Paper, White Thermal Transfer Paper with print Black Lock, White thermal with customer print, Yellow Thermal Transfer Paper with customer logo.

## BENEFITS

- Highly versatile general purpose RF label.
- Suitable for @Source or instore tagging programs.
- Available with black lock logo for visible tagging programs.
- A customizable solution to fit retailer needs.

# 710 XP

Our 710 RF label is characterized by its high-speed integration in source tagging, thanks to its anti-static protection, allowing integration into production lines for labeling beverages & food and apparel products.



**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
34.6 x 41.1 mm (1.36" x 1.62")

**Face sheet:**
PSG: White Premium Grade Paper, White Premium Grade Paper with customer print, Thermal Transfer Paper, Black, White with Barcode,
SG: Clear PET.

## BENEFITS

- Good detection in wider aisles.
- Designed for high-speed @Source integration.
- Can be applied @Source or in-store.
- Standard white face and clear.
- Thinner construction for applying behind primary labels.
- Apply on any product.

# 815 Shoe

Checkpoint has developed a specific solution for source tagging footwear: the 815 RF Shoe Label. This unique label has a patented double deactivation system which guarantees the permanent deactivation of the label inside the shoe when it is integrated correctly according to the instructions in this manual.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
46 mm x 31 mm (1.81" x 1.22")

**Face sheet:**
White Uncoated Litho Paper

## BENEFITS

- Designed only for footwear integration.
- Redundant secondary deactivation to mitigate tag pollution issues.
- Hidden in shoes but deactivates at POS as normal
- Discrete protection for improved customer experience.
- Printed with instructions for integration.

# 3210 XP

With theft of high-value, discreet items such as cosmetics and intimate apparel on the rise, customers are seeking new solutions to protect their products reliably and conveniently. Our 3210 RF label is ideal for protection small, thin cosmetics, especially uncarded cosmetic products, offering enhanced protection without compromising aesthetics or convenience.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
19 x 65 mm (0.75" x 2.56")

**Face sheet:**
Clear PET, Clear PET with customer branding.

## BENEFITS

- Designed for high-speed @Source integration.
- Designed to protect small items.
- Promotes branding.
- Improve on-shelf product availability.
- Clear window for barcodes and branding.

# 410
# ECON - ST - XP

Our 410 RF label is available in various product ranges (ECON, STANDARD, and XP) and is characterized by its versatility, as it is compatible with different products and sizes. Additionally, it has been designed for high-speed at-source application and to provide high-level protection and improved deactivation in-store.

## BENEFITS

Best detection in wider aisle widths.

Designed for high-speed @Source integration.

Highly versatile, suitable for any product type.

Better detection with XP version.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
40mm x 40mm (1.57" x 1.57")

**Face sheet:**
White Thermal Transfer Paper, Black Thermal Transfer Paper, White Thermal Transfer Paper with Barcode Print, White Direct Thermal Paper.

# 3110 XP

With theft of high-value, discreet items such as cosmetics and intimate apparel on the rise, customers are seeking new solutions to protect their products reliably and conveniently. Our 3110 RF label is ideal for protection small, thin cosmetics, especially blister-packaged products, offering enhanced protection without compromising aesthetics or convenience.

**Frequency:**
8.2 ± 5% MHz

**Dimensions:**
22x47 mm (0.87"x1.85")

**Face sheet:**
White Thermal Transfer Paper

## BENEFITS

- Designed to fit current blister packages for cosmetics.
- Designed to protect small items.
- Designed for high-speed @Source integration.
- Promotes branding.
- Improve on-shelf product availability.

# Technical information

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 2410

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivable | Deactivable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 2410 | 10152551 | 2410 XP ,8.2,4KR DE,BIL | 24mm x 25mm | 4000 | 20000 | ● | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 | 10154161 | 2410 XP CLR 2K Tray 25/85 | 24mm x 25mm | 2000 | 20000 | | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 | 10154137 | 2410 XP CLR 1KR 25/ | 24mm x 25mm | 1000 | 20000 | | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 | 10152243 | 2410 XP ,8.2,2KR DE,BIL,BL | 24mm x 25mm | 2000 | 20000 | ● | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 | 10154140 | 2410 XP CLR BL 4KR /76 | 24mm x 25mm | 4000 | 20000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 | 10154132 | 2410 XP CLR BL 6KR /76 | 24mm x 25mm | 6000 | 24000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 | 10154069 | 2410 XP CLR Lock Only 2KR / 76 | 24mm x 25mm | 2000 | 20000 | ● | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 | 10154070 | 2410 XP CLR Lock Only 6KR / 76 | 24mm x 25mm | 6000 | 24000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 | 10154139 | 2410 XP CLR FD 2K Tray | 24mm x 25mm | 2000 | 20000 | | ● | | | | | ● | | | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 | 10154068 | 2410 XP Wht 2KR / 76 | 24mm x 25mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | ● |
| 2410 | 10154067 | 2410 XP Wht 4KR / 76 | 24mm x 25mm | 4000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | ● |
| 2410 | 10154063 | 2410 XP Wht 2K tray / 25 | 24mm x 25mm | 2000 | 20000 | | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | ● |
| 2410 | 10154064 | 2410 XP Wht DBC 2K tray / 25 | 24mm x 25mm | 2000 | 20000 | | ● | | | ● | ● | | | | | | | ● | | | | | ● | | | | ● | | | | ● | | ● |
| 2410 | 10154065 | 2410 XP White BL 2KR / 76 | 24mm x 25mm | 2000 | 20000 | ● | ● | | | | ● | | | ● | | | | ● | | | | | ● | | | | ● | | | | ● | | ● |
| 2410 | 10154066 | 2410 XP Wht BL 6KR / 76 | 24mm x 25mm | 6000 | 24000 | ● | | | | | ● | | | ● | | | | ● | | | | | ● | | | | ● | | | | ● | | ● |
| 2410 | 10154399 | 2410XP Wht 0.25KR T-cut 14 rolls /25 | 24mm x 25mm | 250 | 3500 | | ● | ● | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | ● |
| 2410 | 10154395 | Flag tag,2410XP,8.2,4KR DE,BIL | 24mm x 25mm | 4000 | 20000 | | ● | | | | ● | | | | | ● | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2410 Microflex | 10154396 | Microflex Eye Wear Tag,2410XP,8.2,QRL,DE,BL | 30mm x 104mm | 500 | 20000 | | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 2815

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivalable | Deactivalable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 2815 | 10155610 | 2815XP PSG P2S White 4KR / 76 | 49mm x 27mm | 4000 | 20000 | ● | | | | | ● | | | | | | | ● | | | | | ● | | ● | | ● | | | | | ● | | |
| 2815 | 10155634 | 2815XP PSG Wht 2KR / 76 | 49mm x 27mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 2815 | 10155632 | 2815XP PSG White 8KR / 152 | 49mm x 27mm | 8000 | 24000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 2815 | 10155633 | 2815XP PSG Wht 4KR / 76 | 49mm x 27mm | 4000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 2815 | 10155608 | 2815XP PSG TD White 2KR / 76 | 49mm x 27mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | ● | | | | | ● | | | | | ● | | |
| 2815 | 10155609 | 2815XP PSG Shoe 2KR / 76 | 49mm x 27mm | 2000 | 20000 | | ● | | | | ● | | | | | | | ● | | | | | ● | | | | ● | ● | | | | ● | | |
| 2815 | 10155631 | 2815XP PSG Shoe QRL 25/ | 49mm x 27mm | 500 | 20000 | | ● | | | | ● | | | | | | | ● | | | | | ● | | | | ● | ● | | | | ● | | |

# 2928

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivalable | Deactivalable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 2928 Microflex | 10139638 | 2928 Microflex BL, 500/76 | 30mm x 104mm | 500 | 12000 | | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 Shield Tag | 10151095 | 2928 XP Shield tag 50mm 500 / 76 | 50mm round | 500 | 8000 | | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 Super Flag Tag | 10154575 | Super Flag Tag 2928XP,8.2,QRL DE,BIL | 60mm x 32mm | 500 | 10000 | | ● | | | | | ● | | | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 | 10147941 | 2928XP, 8.2, 2KR DE, BIL, BL | 28mm round | 2000 | 20000 | ● | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 | 10148866 | 2928XP, 8.2, 2KR DE, BIL | 28mm round | 2000 | 20000 | ● | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 | 10148867 | 2928XP, 8.2, 4KR DE, BIL | 28mm round | 4000 | 20000 | ● | | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 | 10153695 | 2928XP,8.2,6KR DE,BIL BL(UNWIND 3) | 28mm round | 6000 | 24000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 | 10153696 | 2928XP,8.2,10KR DE,BIL BL(UNWIND 3) | 28mm round | 10000 | 20000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 | 10153950 | 2928XP,8.2,6KR DE,BIL BL(UNWIND 2) | 28mm round | 6000 | 24000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 | 10154061 | 2928XP,8.2,10KR DE,BIL BL | 28mm round | 1000 | 20000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 | 10153694 | 2928XP,8.2,QRL DE,BIL,BL,1" | 28mm round | 500 | 20000 | | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |
| 2928 | 10153697 | 2928XP,8.2,2KR DE, BIL ONLY LOCK | 28mm round | 2000 | 20000 | ● | ● | | | | | | | ● | | | | ● | | | | | | | | | ● | | | | ● | | ● |

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 2933

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivalable | Deactivalable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 2933 | 10155067 | 2933 XP WHT 2KR / 76 | 33mm round | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 2933 | 10155068 | 2933 XP CLR 2KR / 76 | 33mm round | 2000 | 20000 | ● | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | ● | | |
| 2933 | 10155194 | 2933 XP CLR BL 2KR / 76 | 33mm round | 2000 | 20000 | ● | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |
| 2933 | 10155193 | 2933 XP CLR BL FR/ENG 2KR / 76 | 33mm round | 2000 | 20000 | ● | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |
| 2933 | 10155192 | 2933 XP,CLR 4KR / 76 | 33mm round | 4000 | 20000 | ● | | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | ● | | |
| 2933 | 10155191 | 2933 XP CLR BL,ROTA90 4KR / 76 | 33mm round | 4000 | 20000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |
| 2933 | 10155190 | 2933 XP CLR BL 4KR / 76 | 33mm round | 4000 | 20000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |
| 2933 | 10155189 | 2933 XP YBL T-CUT 0.2KR / 25 | 33mm round | 200 | 2000 | | ● | ● | | | | | | | ● | | | ● | | | | | | | | | ● | | | | ● | | |
| 2933 | 10155607 | 2933 XP CLR BL 0.25KR T-CUT 25/ | 33mm round | 250 | 2500 | | ● | ● | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 3110

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivalable | Deactivalable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 3110 | 10075188 | 3110XP PSG AA,8.2,2KR DE,Plain | 22mm x 47mm | 2000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 3110 | 10075189 | 3110XP PSG AA,8.2,4KR DE,Plain | 22mm x 47mm | 4000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |

# 3210

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3210 | 10155760 | 3210 XP CLEAR 0.5KR 2K tray / 25 | 19mm x 65mm | 500 | 20000 | | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | |
| 3210 | 10155781 | 3210XP,8.2,2KR DE,BIL | 19mm x 65mm | 2000 | 20000 | ● | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | |

# 3610

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3610 | 10154162 | 3610 XP P2S 2KR / 76 | 15mm 52mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |

# 3710

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3710 | 10154165 | 3710 XP COS CLR 2K TRAY /25 | 15mm 52mm | 2000 | 20000 | | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | ● |
| 3710 | 10154163 | 3710 XP CLR COS 2KR / 76 | 15mm 52mm | 2000 | 20000 | ● | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | ● |
| 3710 | 10154166 | 3710 XP CLR COS, 4KR / 76 | 15mm 52mm | 4000 | 20000 | ● | | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | ● |

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 3740

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivatable | Deactivatable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 3740 | 10151091 | 3740 XP Food Clear AA 8KR / 76 | 37mm x 40mm | 8000 | 24000 | ● | | | | | | ● | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10151092 | 3740XP Food Clear AA 4KR / 76 | 37mm x 40mm | 4000 | 20000 | ● | | | | | | ● | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 1015339 | 3740 XP FOOD WHT AA 2KR / 76 | 37mm x 40mm | 2000 | 20000 | ● | ● | | | | ● | | | | | | | | ● | | | | ● | | | | ● | | ● | ● | | ● | | |
| 3740 | 10151146 | 3740 XP Food YBL HA 1KR /76 | 37mm x 40mm | 1000 | 20000 | | ● | | | | | | | | ● | | | | ● | | | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153362 | 3740 XP FOOD PP DIRECT CONTACT 2KR / 76 | 37mm x 40mm | 2000 | 20000 | ● | ● | | | | ● | | | | | | | | | ● | | | | | | | | ● | | ● | | ● | ● | | |
| 3740 | 10153329 | 3740 XP FOOD CLR BL 2KR /76 | 37mm x 40mm | 2000 | 20000 | ● | ● | | | | | ● | | ● | | | | | ● | | | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153328 | 3740 XP FOOD CLR BL FREEZER 2KR / 76 | 37mm x 40mm | 2000 | 20000 | ● | ● | | | | | ● | | ● | | | | | ● | | ● | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153350 | 3740 XP FOOD YBL DEUTSCH 1KR / 76 | 37mm x 40mm | 1000 | 20000 | ● | ● | | | | | | | | ● | | | | ● | | | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153361 | 3740 XP CLR BL FREEZER 8KR / 76 | 37mm x 40mm | 8000 | 24000 | ● | | | | | | ● | | ● | | | | | ● | | ● | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153330 | 3740XP FOOD CLR BL 6KR / 76 | 37mm x 40mm | 6000 | 24000 | ● | | | | | | ● | | ● | | | | | ● | | | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153341 | 3740 XP FOOD YBL ROTATE 4A 2KR / 76 | 37mm x 40mm | 2000 | 20000 | ● | | | | | | | | | ● | | | | ● | | | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153342 | 3740 XP FOOD YBL ROTATE 4B 2KR / 76 | 37mm x 40mm | 2000 | 20000 | ● | | | | | | | | | ● | | | | ● | | | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153327 | 3740 XP FOOD YBL FREEZER 8KR / 76 | 37mm x 40mm | 8000 | 24000 | ● | | | | | | | | | ● | | | | ● | | ● | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153343 | 3740 XP FOOD YBL FREEZER 2KR / 76 | 37mm x 40mm | 2000 | 20000 | ● | | | | | | | | | ● | | | | ● | | ● | | | | | | ● | | ● | ● | | ● | | |
| 3740 | 10153344 | 3740 XP FOOD DBC 2KR / 76 | 37mm x 40mm | 2000 | 20000 | ● | ● | | | ● | ● | | | | | | | | ● | | | | ● | | | | ● | | ● | ● | | ● | | |

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 3810

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivatable | Deactivatable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 3810 | 10153369 | 3810 XP Wht 6KR / 76 | 31mm x 32mm | 6000 | 24000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10152331 | 3810 XP wht 8KR / 76 | 31mm x 32mm | 8000 | 24000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 1015254 | 3810 XP Wht 2KR / 76 | 31mm x 32mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154203 | 3810 XP WHT 1KR 76/ | 31mm x 32mm | 1000 | 20000 | | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154206 | 3810 XP DBC 1KR 76/ | 31mm x 32mm | 1000 | 20000 | | ● | | | ● | ● | | | | | | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154208 | 3810 XP WHT RD 2KR 76/ | 31mm x 32mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154209 | 3810 XP WHT RD REM 2KR 76/ | 31mm x 32mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154210 | 3810 XP WHT 4KR 76/ | 31mm x 32mm | 4000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154211 | 3810 XP WHT BL Unwind 4 6KR 76/ | 31mm x 32mm | 6000 | 24000 | ● | | | | | ● | | | ● | | | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154212 | 3810 XP WHT 8KR 152/ | 31mm x 32mm | 8000 | 24000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154213 | 3810 XP WHT BL Unwind 4 8KR | 31mm x 32mm | 8000 | 24000 | ● | | | | | ● | | | ● | | | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154214 | 3810 XP WHT 12KR 76/350 | 31mm x 32mm | 12000 | 36000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 3810 | 10154218 | 3810 XP CLR BL 2KR 76/ | 31mm x 32mm | 2000 | 20000 | ● | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |
| 3810 | 10154219 | 3810 XP CLR Lock Only 2KR 76/ | 31mm x 32mm | 2000 | 20000 | ● | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |
| 3810 | 10154220 | 3810 XP 2KR CLR BL BILINGUAL 2KR 76/ | 31mm x 32mm | 4000 | 20000 | ● | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |
| 3810 | 10154221 | 3810 XP CLR BL 4KR 76/ | 31mm x 32mm | 4000 | 20000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |
| 3810 | 10154222 | 3810 XP CLR 8KR 76/330 | 31mm x 32mm | 8000 | 24000 | ● | | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | ● | | |
| 3810 | 10154223 | 3810 XP CLR BL 8KR 76/320 | 31mm x 32mm | 8000 | 24000 | ● | | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |
| 3810 | 10154224 | 3810 XP CLR Lock Only 8KR 76/ | 31mm x 32mm | 8000 | 24000 | ● | ● | | | | | ● | | ● | | | | ● | | | | | | | | | ● | | | | ● | | |

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 3810

| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivalable | Deactivalable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 40R | 10111896 | 40R, ECON YBL, DE 8.2 1KR | 40mm round | 1000 | 20000 | | ● | | | | | | | | ● | | | ● | | | | | | | | ● | | | | | ● | | |
| 40R | 9501530 | 40R, ECON Yellow, DE 8.2 1KR | 40mm round | 1000 | 20000 | | | | ● | | | | | | ● | | | ● | | | | | | | | ● | | | | | ● | | |

# 410

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 410 SP AA | 10149059 | 410AA DROP IN LABELS 5KR | 40mm x 40mm | 5000 | 30000 | | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 410 SP AA | 7288101 | 410 LA AA TT DA PER 76/274 DRL | 40mm x 40mm | 4000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 410 SP AA | 7365717 | 410 SP AA TT DA 4KR 102mm 8,2 | 40mm x 40mm | 4000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 410 SP AA | 7410149 | 410 LA AA TT DA PER 152/401 8KR | 40mm x 40mm | 8000 | 24000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 410 SP AA | 7673084 | 410 LA AA TH DA PER 40/110 4QR | 40mm x 40mm | 500 | 20000 | | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 410 ECON | 10111887 | 410 ECON PLN, DE 8.2 1KR | 40mm x 40mm | 1000 | 20000 | | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 410 ECON | 10111888 | 410 ECON DBC, DE, 8.2 1KR | 40mm x 40mm | 1000 | 20000 | | ● | | | ● | ● | | | | | | | ● | | | | | ● | | | | ● | | | | ● | | |
| 410 ECON | 10111899 | 410 ECON TD, DE 8.2 1KR | 40mm x 40mm | 1000 | 20000 | | ● | | | | ● | | | | | ● | | ● | | | | ● | | | | | ● | | | | ● | | |
| 410 ECON | 10111904 | 410 ECON BLK DE 8.2 1KR | 40mm x 40mm | 1000 | 20000 | | ● | | | | | | ● | | | | | ● | | | | | | | | | ● | | | | ● | | |
| 410 ECON | 10112019 | 410 ECON PLN DE 8.2 2KR | 40mm x 40mm | 2000 | 20000 | | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |
| 410 ECON | 10112475 | 410 ECON DBC DE 8.2 2KR | 40mm x 40mm | 2000 | 20000 | | ● | | | ● | ● | | | | | | | ● | | | | | ● | | | | ● | | | | ● | | |
| 410 ECON | 10115312 | 410 ECON TT 2UP 8KR 76/ | 40mm x 40mm | 8000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | ● | | |

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 410

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivatable | Deactivatable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 410 ECON | 10147821 | 410 ECON SEC. WRAP 50X300 76/250 | 40mm x 40mm | 500 | 6000 | | ● | | | | | | | | | | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 410 ECON | 10148031 | 410 ECON HA, 8.2, 1KR DE, BL | 40mm x 40mm | 1000 | 20000 | | ● | | | | ● | | | ● | | | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 410 ECON | 10148092 | 410 ECON HA, 8.2, 2UP 4KR DE, Plain | 40mm x 40mm | 4000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 410 SP HA | 10143711 | 410 SP HA Perf. No adhesive | 40mm x 40mm | 2000 | 20000 | | | | ● | | ● | | | | | ● | | | | | | | ● | | | | ● | | | | | ● | | |
| 410 SP HA | 7150318 | 410 LA HA DBC DA PER 38/98 TR | 40mm x 40mm | 500 | 20000 | | ● | | | ● | ● | | | | | | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 410 SP HA | 7167168 | 410 LA HA WH DA REM 102/241 FRL | 40mm x 40mm | 2000 | 20000 | ● | | | | | ● | | | | | ● | ● | | | | | | ● | | | | ● | | | | | ● | | |
| 410 SP HA | 7214751 | 410 LA HA WH DA PER 25/98 TR | 40mm x 40mm | 500 | 20000 | | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 410 SP HA | 7283986 | 410 LA HA Black DA PER 25/98 TR | 40mm x 40mm | 500 | 20000 | | ● | | | | | | ● | | | | | ● | | | | | | | | | ● | | | | | ● | | |
| 410 SP HA | 7551246 | 410 LA HA WH DA PER 76/212 FRL | 40mm x 40mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 410 SP HA | 7909949 | 410 LA HA DBC DA PER 76/212 FRL | 40mm x 40mm | 2000 | 20000 | ● | ● | | | ● | ● | | | | | | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 410 XP | 10152137 | 410 XP AA WHT 2KR / 76 | 40mm x 40mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 410 XP | 10151418 | 410 XP AA WHT 4KR / 76 | 40mm x 40mm | 4000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 410 XP | 10152203 | 410 XP AA WHT 8KR / 152 | 40mm x 40mm | 8000 | 24000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 815

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivalable | Deactivalable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 815 Shoe | 10121894 | 815 SHOE SPW DA 8.2, RED DOT REM 2KR | 46mm x 31mm | 2000 | 20000 | | ● | | | | ● | | | | | | | ● | | | | | ● | | | | ● | ● | | | | | | |

# 4115

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4115 RF Metal | 10156136 | 4115 RF METAL CMC TT BL 0.5KR /76 | 41mm x 15mm | 500 | 10000 | | ● | | | | ● | | | ● | | | | ● | | | | | ● | | | | ● | | | | | | ● | ● |

# 2933

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2933 Box Seal | 10155188 | 2933 XP CLR BL BOX SEAL 40X200 500/76 | 40mm x 200mm | 500 | 6000 | | ● | | | | | ● | | ● | | ● | | ● | | | | | | | | | ● | | | | | | | |

Grocery & Food | Cosmetics | Pharmacy | Eyewear, jewelry & accessories | General Merchandise | Apparel & Footwear

# 710

| | | | | | | APPLICATION METHOD | | | | COLORS & DESIGN | | | | | | | TYPE OF ADHESIVE | | | | | PAPER OPTIONS | | | | DEACTIVATION TYPE | | | CERTIFICATIONS | | | | PRODUCT APPLICATION | MICRO FORMAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Type of label | Part Number | Description Name | Dimensions | Labels/ roll | Rolls/ box | Auto Application | Hand Apply | HLS Tool Format | DROP IN | Dummy Bar Code | White | Clear Face | Black | Black Lock Logo | Yellow black lock logo | Printable | Removable adhesive | Standard adhesive | Indirect Food Contact | Direct Food Contact | Freezer Adhesive | Thermal Direct | Thermal Transfer | Paper Static Guard | Paper Two Sides | Non deactivatable | Deactivatable | Shoe Label Perforation | Microwave Certificate | Indirect Food Contact | Direct Food Contact | Packaging recyclability | Detection on metal | Micro Format |
| 710 XP | 10075096 | 710 XP PSG Wht 8KR / 152 | 35mm x 41mm | 8000 | 24000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 710 XP | 10075095 | 710 XP PSG Wht, 500/76 | 35mm x 41mm | 500 | 20000 | | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 710 XP | 10075059 | 710 XP P2S WHT 4KR / 76 | 35mm x 41mm | 4000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 710 XP | 10075104 | 710 XP PSG Wht 10KR / 152 | 35mm x 41mm | 10000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 710 XP | 10075056 | 710 XP PSG WHT 2KR / 76 | 35mm x 41mm | 2000 | 20000 | ● | ● | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 710 XP | 10075098 | 710 XP PSG Wht 4KR / 76 | 35mm x 41mm | 4000 | 20000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 710 XP | 10075100 | 710 XP PSG DBC 4KR / 76 | 35mm x 41mm | 4000 | 20000 | ● | | | | ● | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 710 XP | 10075097 | 710 XP PSG Wht 6KR / 76 | 35mm x 41mm | 6000 | 24000 | ● | | | | | ● | | | | | ● | | ● | | | | | ● | | | | ● | | | | | ● | | |
| 710 XP | 10075216 | 710 XP SG BIL 12KR / 76 | 35mm x 41mm | 12000 | 24000 | ● | | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | |
| 710 XP | 10075219 | 710 XP SG BIL 8KR / 152 | 35mm x 41mm | 8000 | 24000 | ● | | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | |
| 710 XP | 10075217 | 710 XP SG BIL 4KR / 76 | 35mm x 41mm | 4000 | 20000 | ● | | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | |
| 710 XP | 10075215 | 710 XP SG BIL 2KR / 76 | 35mm x 41mm | 2000 | 20000 | ● | ● | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | |
| 710 XP | 10075214 | 710 XP SG BIL 12KR / 152 | 35mm x 41mm | 12000 | 24000 | ● | | | | | | ● | | | | ● | | ● | | | | | | | | | ● | | | | | ● | | |

# Terminology

**Standardised description format:**

Label type /HA or AA /  face sheet + print / inner core size / roll count or OD size

**AA:** Automatic Application – designed for high speed @Source Applications

**BL:** Our  trademark Black lock logo print

**CLR:** Clear

**DBC:** Dummy Barcode Print

**Drop in:** RF tag without adhesive for dropping into product packaging

**HA:** Hand Apply Labels – designed for in store use

**IC:** Inner core diameter

**KR:** 1000 per roll

**OD:** External Roll diameter

**P2S:** Paper two sides – format for RF pocket tags

**PSG:** Static guarding to protect labels during automatic application

**REM:** Removable adhesive

**TD:** Thermal Direct paper

**TR:** Tray (packing format, normally 3 or 4 rolls = 2000 labels = 1 tray

**TT:** Thermal Transfer

**WHT:** White

**YBL:** Yellow label with black lock print

Checkpoint®

checkpoint
systems.com